



Qualified Identifiers

Version 1.0 draft — 1 September 2008

Draft for comment

National E-Health Transition Authority Ltd

Level 25

56 Pitt Street

Sydney, NSW, 2000

Australia.

www.nehta.gov.au

Disclaimer

NEHTA makes the information and other material ('Information') in this document available in good faith but without any representation or warranty as to its accuracy or completeness. NEHTA cannot accept any responsibility for the consequences of any use of the Information. As the Information is of a general nature only, it is up to any person using or relying on the Information to ensure that it is accurate, complete and suitable for the circumstances of its use.

Document Control

This document is maintained in electronic form. The current revision of this document is located on the NEHTA Web site and is uncontrolled in printed form. It is the responsibility of the user to verify that this copy is of the latest revision.

Copyright © 2008, NEHTA.

This document contains information which is protected by copyright. All Rights Reserved. No part of this work may be reproduced or used in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems—without the permission of NEHTA. All copies of this document must include the copyright and other information contained on this page.

Document Information

Change History

Version	Date	Comments
1.0 draft	2008-09-01	Draft for comment

Table of Contents

Document Information	iii
Change History	iii
Table of Contents	iv
Preface	v
Document Purpose	v
Scope	v
Intended Audience.....	v
Document status	v
Definitions, Acronyms and Abbreviations.....	v
References and Related Documents	v
Conformance	v
1 Qualified Identifiers	6
1.1 Background	6
1.2 Qualified identifiers as URIs	6
1.2.1 Examples.....	6
Definitions	7
Shortened Terms.....	7
Glossary	7
References	8
Normative references.....	8

Preface

Document Purpose

The purpose of this document is to describe how identifiers are represented as Uniform Resource Identifiers (URI).

Scope

This document only covers identifying parties in NEHTA specifications that use the XML format to represent data. In particular, this includes data in NEHTA Web services specifications.

Intended Audience

This is a technical document.

This document should be read and understood by:

- Solution Architect:
 - To understand how qualified identifiers are represented.
- Developer:
 - To implement qualified identifiers.
- Tester:
 - To evaluate whether an implementation conforms to qualified identifiers.

The reader is expected to understand URI, URL and URNs.

Document status

This document is a draft and has been released for comment and feedback purposes.

Definitions, Acronyms and Abbreviations

For a lists of abbreviations, acronyms and abbreviations, see the [Definitions section](#) at the end of the document, on page 7.

References and Related Documents

For a list of all referenced documents, see the [References](#) at the end of the document, on page 8.

Conformance

The keywords MUST, MUST NOT, SHOULD, aSHOULD NOT, and MAY in this document are to be interpreted as described in IETF's RFC 2119 [RFC2119].

1 Qualified Identifiers

1.1 Background

There are a wide variety of identifiers that can be used.

When a particular identifier is used, the type of identifier needs to be known to properly interpret it. An identifier would be incorrectly used if it is treated as a different type of identifier.

A *qualified identifier* is defined as a qualifier and an identifier. The qualifier uniquely identifies the type of identifier being used.

1.2 Qualified identifiers as URIs

Qualified identifiers are being represented as Uniform Resource Identifiers (URI).

A qualified identifier **MUST** be an URI-reference as defined in section 4 of [RFC2329].

A qualified identifier URI **MUST** be based on an absolute URI.

A qualified identifier URI **MUST NOT** be based on a relative URI.

A qualified identifier URI **MUST** always contain a fragment identifier.

That is, a qualified identifier comprises of an absoluteURI, the “#” character, and a fragment identifier.

The absoluteURI **MUST** be the qualifier for the type of identifier being used.

The fragment identifier **MUST** be the identifier value.

Note that the use of fragment identifiers is not permitted by the Uniform Resource Name (URN) specification [RFC2141], even though it is permitted in URIs [RFC2329] and a URN is a type of URI. If this is an issue, URLs be used as qualifiers instead of URNs.

1.2.1 Examples

For example, if a particular identifier type was assigned the qualifier:

```
urn:xml-gov-au:nehta:data:UhiHpio:1.0
```

and a particular entity was assigned the identifier:

```
8036000000000001
```

Then the qualified identifier would be:

```
urn:xml-gov-au:nehta:data:UhiHpio:1.0#8036000000000001
```

A different identifier type would be assigned a different qualifier, for example:

```
urn:xml-gov-au:nehta:data:UhiIhi:1.0
```

and a different entity is assigned the identifier:

```
8036000000000001
```

Then the qualified identifier would be:

```
urn:xml-gov-au:nehta:data:UhiIhi:1.0#8036000000000001
```

Note that the identifier (the number) is the same in both examples, but the qualified identifiers are different because they are different types of identifiers.

Definitions

This section explains the specialised terminology used in this document.

Shortened Terms

This table lists abbreviations and acronyms in alphabetical order.

Term	Description
URI	Uniform Resource Identifier
URL	Uniform Resource Locator
URN	Uniform Resource Name

Glossary

This table lists specialised terminology in alphabetical order.

Term	Description
Identifier	A value used to refer to an entity. The identifier only has meaning within the scope of the type of identifier that was issued.
Qualified identifier	A globally unique identifier that is made up of a qualifier and an identifier.

References

Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- [RFC2119] IETF, *RFC 2119: Keywords for use in RFCs to Indicate Requirement Levels*, S. Bradner, March 1997, <http://ietf.org/rfc/rfc2119.txt>
- [RFC2141] IETF, *RFC 2141: URN Syntax*, R. Moats, May 1997, <http://ietf.org/rfc/rfc2141.txt>
- [RFC2396] IETF, *RFC 2396: Uniform Resource Identifiers (URI): Generic Syntax*, T. Berners-Lee, R. Fielding, U. C. Irvine, L. Masinter, August 1998, <http://ietf.org/rfc/rfc2396.txt>